## Compare for yourself. The advantage is clear.

#### **Therma-Tru. Fiberglass Doors Wood Doors** Require minimal maintenance. • Demand regular upkeep. Refinishing recommended every 1-2 years. Resist dents and scratches. • Can easily scratch. Will not split or crack. • May split and crack in extreme temperatures. Do not absorb moisture, eliminating the risk of rotting, • Absorb moisture, which may cause doors to rot and warp, warping, peeling and bubbling. and the finish to peel and bubble. ■ Energy efficient with up to four times the insulating • Tend to fade over time. R-Value of wood.\* ■ Backed by the industry's most comprehensive warranty.



www.precisionfit.net

(623) 266-7479 20817 N. 21st AVE. Suite 12 Phoenix, AZ 85027






\*Comparison of fiberglass to wood doors (both without glass)




THINK AGAIN.

THERMA TRU

Note: Contact us at (623) 266-7479 for more details, available product sizes and ENERGY STAR® and options, limited warranties and exclusions, qualified products. ©2015 Therma-Tru Corp. All rights reserved. THERMA-TRU and the Therma-Tru Logo are trademarks of Therma-Tru Corp. Registered trademarks are registered in the U.S. and may be registered internationally. Therma-Tru Corp. is an operating company of Fortune Brands Home & Security, Inc. The Best Buy Seal and other licensed materials are registered certification marks and trademarks of Consumers Digest Communications, LLC, used under license. For award information, visit ConsumersDigest.com. ENERGY STAR is a government program that helps consumers protect the environment through superior energy efficiency and is a registered trademark of the U.S. Department of Energy and the U.S. Environmental Protection Agency. MAFCOMPARISON16 MTZT / DEC 2015





## Beauty doesn't have to be high maintenance.

We know wood is beautiful. That's why Classic-Craft, premium entryways are crafted from the finest materials to accurately replicate the feel and integrity of a custom wood door. And while wood doors demand regular upkeep and refinishing, Therma-Tru fiberglass doors require minimal maintenance, saving you time and money.


Therma-Tru. Fiberglass Doors	Wood Doors
Reapply topcoat every 3–5 years, or when gloss fades.	Refinish every 1–2 years.
Clean door with a household detergent and water. Rinse and allow to dry completely.	Strip existing finish using solvent or chemical stripper. Ensure proper ventilation.
Apply topcoat to renew protection over the stained surface of your fiberglass door. Allow to dry completely.	<ul> <li>Sand door until you reach bare wood.</li> <li>Clean all dust and sanding residue.</li> <li>Allow door to dry completely.</li> </ul>
Rated a Consumers Digest Best Buy for its exceptional warranty, quality of materials and construction, and resemblance to a real wood door.	<ul> <li>Apply stain. Allow to dry at least 24 hours.</li> <li>Apply first coat of polyurethane. Allow to dry completely, then lightly sand surface.</li> <li>Apply second coat of polyurethane. Allow to dry completely.</li> </ul>

#### Classic-Craft, Collections

Find the right door that fits beautifully with your personal style and home. Choose from premium fiberglass entryways in four distinct wood grains that rival custom wood.













Note: Finish colors may vary from an actual application due to fluctuations in finishing or the printing of this catalog. See your Therma-Tru seller or visit www.thermatru.com for more details, including limited warranties and exclusions.

#### A smarter investment.

Everything about Classic-Craft. has been designed to create a premium, elegant entryway that provides exceptional strength, efficiency and long-term performance; so you can feel confident that Classic-Craft is a smart investment for years to come. And it's rated a *Consumers Digest* Best Buy, for its exceptional warranty, quality of materials and construction, and resemblance to a real wood door.



## Energy efficiency.



Classic-Craft. premium entryways contribute to an energy-efficient home.

A high-grade polyurethane foam core provides up to four times the insulating R-Value of wood,\* helping you save money on energy costs.

### Trust the experts in fiberglass.

We've been studying the science of the entry door since 1962 and have turned our experience into industry-leading innovations. Therma-Tru pioneered the fiberglass door in 1983 because we realized that fiberglass was a material that offered superior design and performance characteristics.

More than 30 years andtens of millions of fiberglass door slabs later, Therma-Tru has grown to become the leading entry door brand most preferred by builders.\*\*



The Best Buy Seal and other licensed materials are registered certification marks and trademarks of Consumers Digest Communications, LLC, used under license. For award information, visit ConsumersDigest.com.

Below Center: Classic-Craft Rustic Collection, Ashurst Glass, Door - CCR804035

Below Right: Classic-Craft American Style Collection, Low-E Glass with SDLs, Door – CCA230, Sidelites – CCA3400SL, Transom – 19220T Opposite, clockwise from top left:

Classic-Craft American Style Collection, Low-E Glass with SDLs, Door - CCA8230, Sidelites - CCA3500SL, Dentil Shelf

Classic-Craft Rustic Collection Door – CCR8205, Clavos & Strap Hinges Classic-Craft Mahogany Collection, Borrassa Glass, Door – CCM81519

Classic-Craft Rustic Collection, Provincial Glass, Door – CCR804028









<sup>\*</sup>Comparison of fiberglass to wood doors (both without glass).

<sup>\*\*</sup>Brand Use Study, 2015 Builder magazine.



## Built to stand up to the elements and years of wear.

From triple-digit summers to subzero winters – and everything in between. Classic-Craft. premium entryways are tested and designed to resist fluctuations in temperatures and the damaging effects of moisture. Classic-Craft's fiberglass skins provide added durability and better long-term performance, suited to provide homes with both weather resistance and security, as well as long-lasting curb appeal. Plus, fiberglass doors resist dents and scratches making them ideal for active families.

#### It's what's on the inside that counts...

1 Enhanced Weather Resistance

No more worries about rotting, warping or twisting. Classic-Craft, premium entryways are tested and designed to resist extreme weather conditions and the damaging effects of moisture. Both the top and bottom of the door are protected by composite rails for a longer-lasting entryway.

2 Solid Security

Classic-Craft. premium entryways feel solid and close with authority. A 4-1/8" wide beam of engineered lumber runs from the top to the bottom of the locking side of the door to add mass and rigidity, giving the door weight and a natural wood feel.

3 Higher R-Values

Classic-Craft. premium entryways contribute to an energy-efficient home. A polyurethane foam core provides up to four times the insulating R-Value of wood.\*

4 Excellent Durability

Built to stand up to the elements and years of wear, Classic-Craft's fiberglass skins are thicker than other standard fiberglass doors to provide added durability and better long-term performance.

\*Comparison of fiberglass to wood doors (both without glass).



# The reality of wood doors...

- May split and crack in extreme temperatures.
- Absorb moisture, which can cause them to rot, warp, peel and bubble.
- Likely to fade.
- Generally require more maintenance.

















Wood or fiberglass?